









Lesotho



Southern Africa Tuberculosis and Health Systems Support Project

Project Summary 2016 - 2021











About Southern Africa Tuberculosis and Health Systems Support Project

The Southern Africa Tuberculosis and Health Systems Support Projectis a World Bank (WB) funded regional project launched in 2016 with the aim of strengthening the health sector's response to Tuberculosis and occupational lung diseases. It is implemented in four (4) Southern African Development Community (SADC) Member States: Lesotho, Malawi, Mozambique and Zambia.In partnership with the WB and Member States, the NEPAD Agency and East, Central and Southern Africa Health Community (ECSA-HC) collaborate to provide technical supportin project implementation in the participating countries.

Globally, Tuberculosis causes more deaths than HIV/AIDS annually and it is estimated that 1.5million people died of Tuberculosis in 2014 with Africa accounting for 450,000 deaths, the second highest in the world. The Southern Africa sub-region is the epicentre with the highest Tuberculosis case rates on the continent with elevated TB/HIV coinfection rates. In addition, inadequate treatment of Tuberculosis creates resistance to first line drugs, leading to Multi-Drug Resistant (MDR) Tuberculosis which require much more expensive drugs to treat, with higher levels of toxicity, higher case fatality and increased treatment failure rates. This project is a response aimed at addressing some of the challenges of Tuberculosis in Africa by targeting the most affected areas and communities in low income countries." As a result, this project targets interventions in the mining communities, transport corridors and cross-border areasof theparticipating countries in the SADC region, as well as the neighbouring countries.

Due to high levels of inter-regional economic activity in Southern Africa, Tuberculosis easily spreads across national borders. This project represents a paradigm shift in the prevention and treatment of Tuberculosis at the sub-regional level by creating a multisectoral platform for regionally coordinated actions to deal with the spread of the disease across borders. The project contributes to regional, continental and global frameworks on Tuberculosis such as the SADC Strategic Framework for Control of Tuberculosis, the Catalytic Framework to End AIDS, TB and Eliminate Malaria in Africa by 2030, and the World Health Organization (WHO) End TB Strategy respectively, among others.

¹ TB Facts – Information About Tuberculosis: http://www.tbfacts.org/tb-statistics/

Project Development Objectives

The project is guided by two (2) project development objectives

- (i) Improve coverage and quality of key TB control and occupational lung disease services in targeted geographic areas of the participating countries; and
- (ii) Strengthen regional capacity to manage the burden of TB and occupational diseases.

Results Indicators

Progress on the above mentioned Project Development Objectives will be monitored using a set of results outcome indicators as follows:

- TB case notification in target geographic areas (number)
- TB treatment success rate in target geographic areas: (i) new and (ii) relapse TB cases (percentage)
- TB cases identified through active TB case finding (screening) among TB vulnerable populations in targeted geographic areas (number)
- Project-supported laboratories compliant with regionally harmonized standard operating procedures for surveillance of MDR-TB (number)
- Direct beneficiaries (number), and the share of females among them (percentage).



Project Component 1:

Innovative Prevention, Detection, and Treatment of TB

The aim of this component is to improve the demand for and availability of highquality TB, TB-HIV/AIDS, and occupational lung disease services in targeted geographic areas of the four participating countries. The aim will be achieved through the following interventions;

Subcomponent 1.1: Enhancing case detection and treatment success

Focuses on financing demand and supply-side interventions to enhance early case detection and improve treatment success rates through the rollout of a package of standardized TB prevention and treatment services across the four countries.







Subcomponent 1.2: Rolling out a standardized package of occupational health services and mining safety standards across the four countries

Focuses on (i) strengthening the capacity of public sector agencies responsible for mine safety to undertake inspection of mines with an emphasis on determining mine dust levels; (ii) expanding periodic screening and referral for occupational lung diseases and other diseases in line with standards set within the sub-region and international best practices; (iii) and developing/strengthening care programs for occupational lung diseases.

Project Component 2:

Regional Capacity for Disease Surveillance, Diagnostics, and Management of TB and Occupational Lung Diseases

The aim of this component is to strengthen selective aspects of health systems to position the sub-region to better manage the TB epidemic and other infectious diseases. The aim will be achieved through the following interventions;

Subcomponent 2.1: Improving quality and availability of human resources in the targeted areas

Focuses on supporting the *development of a skilled health workforce* related to project activities based on a regionally defined curriculum, mentoring, and knowledge sharing in three critical areas: (i) case detection and management of TB; (ii) mine health regulation and occupational services; and (iii) disease surveillance.

Subcomponent 2.2: Strengthening diagnostic capacity and disease surveillance

Focuses on (i) strengthening regional diagnostic capacity and networking; (ii) enhancing access to diagnostics for TB and occupational health in the targeted intervention areas; (iii) and enables participating countries to strategically revamp surveillance systems.

Subcomponent 2.3: Strengthening mine health regulation

Focuses on supporting countries to update or draft occupational health and safety legislation; review and/or develop guidelines for mine health inspections, occupational health screening protocols, and compensation systems and guidelines; develop information technology (IT) systems for compliance monitoring and mine health surveillance; and provide equipment for mine health inspection.

Project Component 3: Regional Learning and Innovation, and Project Management

The main aim of this component is to fund technical support to strengthen regional capacity and promote regional innovation through sharing of knowledge and evidence from interventions implemented under Components 1 and 2.In addition, it supports advocacy for policy reforms and for greater accountability by mining companies on enforcement of occupational and mine health standards. This aim will be achieved through the following interventions;

Subcomponent 3.1: Operational research and knowledge sharing

Focuses on including key baseline assessments with technical support of CDC and IFC. ECSA-HC will coordinate the major studies related to activities under the project.

Subcomponent 3.2: Centers of excellence in TB and occupational lung disease control

Focuses on ensuring that participating countries have a shared vision to innovate and learn in different technical areas. Each country will have a centre of excellence to provide regional leadership in key technical areas as follows: Lesotho—community-based management of MDR-TB; Malawi—community TB care and integrated disease surveillance; Mozambique—MDR-TB and childhood TB management; and Zambia—occupational health and safety.

Lesotho community-based management of MDR-TB;

Malawi community TB care and integrated disease surveillance;

Mozambique MDR-TB and childhood TB management;

Zambia Occupational health and safety.



Project Component 3: - continued Regional Learning and Innovation, and Project Management

Subcomponent 3.3: Regional coordination, policy advocacy, and harmonization

Focuses on supporting regional project activities that generate economies of scale and deepen learning and knowledge exchange. Existing platforms will be leveraged to promote South–South knowledge sharing.

Subcomponent 3.4: Project management

Focuses on supporting the work of the Project Implementation Units (PIUs), including financial management, procurement, risk-based auditing, and M&E. Meetings of inter-ministerial National Technical Committees and the Regional Advisory Committee will be held. Joint annual review meetings will be supported at national level and interim reviews in participating districts, as needed.

Project Beneficiaries

The primary beneficiaries are individuals and households in the Tuberculosis most affected and highest Tuberculosis burden areas. These include mining communities, peri-mining areas, transport corridors, and cross-border areas and labour sending communities of the four target countries: Lesotho, Malawi, Mozambique and Zambia. Miners, ex-miners, their families and health workers will also be direct beneficiaries. The project will directly benefit women, particularly in the small-scale mining sector.




Project Implementation and Institutional Arrangements

The project implementation and institutional arrangements are divided in to two: regional level and national level. This approach is informed by recommendations of the World Bank's independent evaluation of regional projects. Details of the project implementation and institutional arrangements are documented in the Project Implementation Manual.

The project's multi-sectoral, multi-country approach will have greater impact on TB control programs and enhance prospects for sustainability. Previous initiatives to address TB in the region have not been effective in reducing the TB burden as they did not fully consider the multi-sectoral and multi-country dimensions in mining areas, peri-mining areas, and high-burden regions. A multi-country focus enables economies of scale, especially in: (i) expertise and resources for MDR-TB management; (ii) accreditation and development of laboratory capacity to manage TB and provide continued training in laboratory management; (iii) training of new and in-service health personnel to further strengthen knowledge and skills; and (iv) delivery of a standardized package of occupational health services and safety standards. The project will also take stock of opportunities for public-private partnerships in TB control. This approach is expected to boost chances of sustainability as ownership is enhanced, accountability improved, economies of scale achieved, and collaboration expanded.

Project Implementation approach at National Level:


The project will be implemented primarily through existing public sector structures such as national TB programs, and government financial and procurement systems in each country, enabling the participating-country governments to maintain activities with their current institutions and resource environment after the project closes.



The diagram above depicts the project implementation structure

Community of Practice (CoP)

The four (4) participating countries have agreed to function as a Community of Practice (COP) on TB and Occupational Lung Disease Control in order to foster cross-country knowledge generation, learning and sharing. The COP includes key themes and technical areas that present regional and cross-country challenges as represented in the diagram below:



LESOTHO TB FACT SHEET

TB)	Estimates of TB burden, a 2015	Number (thousands)	Rate (per 100 000 popul
4 2 2	Mortality (excludes HIV+TB)	1.2 (0.63-1.9)	55 (29-89)
	Mortality (HIV+TB only)	4.8 (3-7)	223 (139-328)
	Incidence (includes HIV+TB)	17 (11-24)	788 (510–1 125)
	Incidence (HIV+TB only)	12 (7.7–18)	566 (359-820)
Incidence (MDR/RR-TB)b 1.1 (0.76-1.5)	Incidence (MDR/RR-TB)b	1.1 (0.76–1.5)	52 (36–70)

Rate (per 100 000 population)

Number (thousands)

Estimates of TB burden, a 2015

lation)

Mortality (excludes HIV+TB) Incidence (includes HIV+TB)

Mortality (HIV+TB only) Incidence (HIV+TB only) Incidence (MDR/RR-TB)b

MALAWI TB FACT SHEET

-17, 104 15,737

- % tested with rapid diagnostics at time of diagnosis

Total new and relapse Total cases notified

-- % with known HIV status

- % pulmonary -

Estimated TB incidence by sex (thousands), a 2015 --- % bacteriologically confirmed among pulmonary

Females- 13 (3.5 - 23)

Males- 20 (12 - 28) Total- 33 (18-53)

1.2 (0.63–1.9)	1.8 (3-7)	788 (510–1125)	2 (7.7–18)	.1 (0.76–1.5)	20 -7 892		-7 594	e of diagnosis ——— 0%	%96	<u>%98</u>	in monage
Mortality (excludes HIV+TB)	Mortality (HIV+TB only)	Incidence (includes HIV+TB)	Incidence (HIV+TB only)	Incidence (MDR/RR-TB)b	Total cases notified	Total account of the same	lotal new and relapse	- % tested with rapid diagnostics at time of diagnosis	% with known HIV status	— % pulmonary	increasing a proper boundary and included to

Estimated TB incidence by sex (thousands), a 2015

### (0	#	++++
Females- 6.5 (2.9-1	Males- 10 (7.2-14)	Total- 17 (11-24)

MOZAMBIQUE TB FACT SHEET

Estimates of TB burden, a 2015	Number (thousands)	Rate (per 100 000
Mortality (excludes HIV+TB)	21 (12-32)	74 (43–115)
Mortality (HIV+TB only)	34 (21–50)	120 (73-178)
Incidence (includes HIV+TB)	154 (100-220)	551 (356-787)
Incidence (HIV+TB only)	79 (50-115)	284 (179-412)
Incidence (MDR/RR-TB)b	7.3 (4.1–10)	26 (15–36)

Total cases notified ************************************	- 61, 559	
Total new and relapse	🕞 -58, 344	
% tested with rapid diagnostics at time of diagnosis	7%	
— % with known HIV status —	%66	
— % pulmonary —	89%	
— % bacteriologically confirmed among pulmonary	909	
Seeimated TD incidence by case (thousands) a 2005		

Estimated TB incidence by sex (thousands), a 2015

Females- 64 (30-98) Males- 90 (62-119) Males- 90 (62-119)			
Males- 90 (62–119)	#	#	***
	~	Males- 90 (62-119)	Total- 154 (100-220)

lation)

ZAMBIA TB FACT SHEET

len, a 2015	Number (thousands)	Rate (per 100 000 popu
IV+TB)	21 (12-32)	74 (43-115)
y) IV+TB)	34 (21–50) 154 (100–220)	120 (73-178) 551 (356-787)
<u>[</u>	79 (50–115)	284 (179-412)
3)p	7.3 (4.1–10)	26 (15-36)

Estimates of TB burden, a 2015 Number (thousands)	Number (thousands)	Rate (per 100 00
Mortality (excludes HIV+TB)	5 (2.9–7.7)	31 (18-47)
Mortality (HIV+TB only)	12 (6.9–20)	77 (42-121)
Incidence (includes HIV+TB)	63 (41-91)	391 (253–558)
Incidence (HIV+TB only)	38 (24-55)	235 (149–339)
Incidence (MDR/RR-TB)b	2.3 (1.4-3.2)	14 (8.6-20)

00 population)

14 (8.6–20)	(3) -41,588	🕰 -36, 741	- 100% - 95%	79%	49%
2.3 (1.4-3.2)			s at time of diagnosis		among pulmonary housands), a 2015
Incidence (MDR/RR-TB)b	Total cases notified	Total new and relapse	— % tested with rapid diagnostics at time of diagnosis – — % with known HIV status	—% pulmonary	— % bacteriologically confirmed among pulmonary – Estimated TB incidence by sex (thousands), a 2015

ŧ

Males- 39 (27-52)

Total- 63 (41-91)

NEPAD Contact Information

230, 15th Road, Randjespark, Midrand, Gauteng, South Africa Telephone: +27 (0) 11 256 3600

Email: info@nepad.org

ECSA-HC Contact Information

157, Olorien, Njiro Road, P.O. Box 1009, Arusha, Tanzania

Telephone: +255 (27) 2549362/5/6

Email: regsec@ecsa.or.tz or info@ecsa.or.tz